

TOKSEL
www.Toksel.com


MOMENTUM






PLAKA CİLA MAKİNELERİ
THE SLAB POLISHING MACHINES

YÜKSEK KALİTE ÇÖZÜNÜRLÜKLÜ FOTO
ELEKTRİK SENSÖR SİSTEMİ
HIGH QUALITY RESOLUTION
PHOTOELECTRIC SENSOR SYSTEM




MODÜLER VE TAM MUHAFAZALI KAFA SİSTEMİ
MODULAR AND FULLY ENCLOSED SYSTEM




304 KALİTE DAYANIKLI DEĞİŞTİRİLEBİLİR PASLANMAZ PLAKA
304 QUALITY DURABLE REPLACEABLE STAINLESS PLATE


GÜÇLÜ RİJİT GÖVDE YAPISI
STRONG RIGID BODY STRUCTURE




PLAKALARIN SEHİMİNİ TOLERE EDEN KONVEYÖR BANT
CONVEYOR BELT THAT TOLERATES DEFLECTION OF SLABS




HIZDA REKOR CİLA
RECORD SPEED POLISHING




ABRASİV MİKTARI ÖLÇÜM SİSTEMİ
ABRASIVE QUANTITY CONTROL SYSTEM




MODÜLER KAFA SİSTEMİ
MODULAR HEAD SYSTEM




HER KÖPRÜDE AYRI TAHRİK SİSTEMİ
SEPERATE DRIVE SYSTEM ON EVERY BRIDGE






▶ **ENERJITASARRUFU**

save **ENERGY**



TEKNİK ÖZELLİKLER

TECHNICAL DATAS



MODEL	MP 2100 A-4	MP 2100 A-8	MP 2100 A-12	MP 2100 A-16	MP 2100 A-20	MP 2100 A-24	MP 2100 A-28
KULLANILAN ÇALIŞMA GENİŞLİĞİ MAXIMUM WORKING WIDTH	2100 mm	2100 mm	2100 mm	2100 mm	2100 mm	2100 mm	2100 mm
ABRASİV Kafa SAYISI NUMBER OF ABRASIVE HEADS	4	8	12	16	20	24	28
ÇALIŞMA KALINLIĞI WORKING THICKNESS	8 - 110 mm	8 - 110 mm	8 - 110 mm	8 - 110 mm	8 - 110 mm	8 - 110 mm	8 - 110 mm
ABRASİV MOTOR GÜCÜ POLISHING UNIT POWER	11 kw.	11 kw.	11 kw.	11 kw.	11 kw.	11 kw.	11 kw.
KONVEYÖR BANT HIZI CONVEYOR BELT SPEED	0 . 3.6 m/dak. m/min.	0 . 3.6 m/dak. m/min.	0 . 3.6 m/dak. m/min.	0 . 3.6 m/dak. m/min.	0 . 3.6 m/dak. m/min.	0 . 3.6 m/dak. m/min.	0 . 3.6 m/dak. m/min.
ABRASİV DİSK ÇAPı ABRASIVE DISK DIAMETER	580 mm	580 mm	580 mm	580 mm	580 mm	580 mm	580 mm
TOPLAM SU TÜKETİMİ TOTAL WATER CONSUMPTION	80 lt/dak. l/min.	160 lt/dak. l/min.	240 lt/dak. l/min.	320 lt/dak. l/min.	400 lt/dak. l/min.	480 lt/dak. l/min.	560 lt/dak. l/min.
TOPLAM ENERJİ TÜKETİMİ TOTAL INSTALLED POWER	52.2 kw.	102.2 kw.	152.2 kw.	202.2 kw.	252.2 kw.	302.2 kw.	352.2 kw.
TOPLAM HAVA TÜKETİMİ TOTAL AIR CONSUMPTION	100 lt/dak.	200 lt/dak.	300 lt/dak.	400 lt/dak.	500 lt/dak.	600 lt/dak.	700 lt/dak.
MAKİNA EBATLARI MACHINE DIMENSIONS	6600 mm. 3800 mm. 2400 mm.	9740 mm. 3800 mm. 2400 mm.	12880 mm. 3800 mm. 2400 mm.	16020 mm. 3800 mm. 2400 mm.	19160 mm. 3800 mm. 2400 mm.	22300 mm. 3800 mm. 2400 mm.	25440 mm. 3800 mm. 2400 mm.